



- GENERAL NOTES:**
1. ALUMINUM EXTRUSIONS 6063-T5 CLEAR.
 2. PANEL CONSTRUCTION 1/8" VINYL CLAD HARDBOARD EACH SIDE LAMINATED TO 1-1/2" STYROFOAM CORE, ALUMINUM SKIN OPTIONAL.
 3. ALL GLASS 3/16" TEMPERED.
 4. SUSPENDED T-BAR CEILING, COMPLIES W/ UBC SEC. 23.07, TABLE 23J.
 5. 18 GA. FORMED STEEL 3" ROOF DECK. CONNECT TO WALLS W/ TEK SCREWS, ICBO NO. 3056 OR APPROVED EQUAL.
 6. ALL WEDGE ANCHORS ITT PHILLIPS RED HEAD, ICBO NO. 1372, OR APPROVED EQUAL.
 7. NAIL-IN ANCHORS TO BE RAWL 2820 OR APPROVED EQUAL.
 8. SILICONE CAULKING IS REQUIRED ON ALL EXTERIOR JOINTS.

BLDG.	REF. DWG.	PHASE	OF	TITLE
AREA		PART	OF	
FLOOR		APPROVALS		
ROOM				CUSTOMER
				ARCHITECT

GUARDSHACK

STANDARD GUARDSHACK / 2" MODULAR OFFICE

PRODUCT TYPE	MODULAR OFFICE	SERIES	2" MODULAR OFFICE / GUARDSHACK
WIRE GAUGE	N/A	FRAME	N/A
MESH SIZE	N/A	FINISH	WHITE ALUMINUM CLAD EXTERIOR WHITE VINYL INTERIOR
PATTERN	N/A		

CALIFORNIA WIRE PRODUCTS CORP.
 1128 WEST BRADFORD CIRCLE
 CORONA, CA 92622
 PHONE (951) 971-7720 FAX (951) 975-1090

DRAWN BY	LS	DATE		ITERS
DATE	1/8/02	DATE		
SCALE	NOT TO SCALE	DATE		
FILE NAME	21\WORKSHOP\NEW...JCS\01	SH	D1	OF
				JOB NO.